




- 1.0 GENERAL NOTES
- 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]
- 1.2 ADDITIONAL TFL-M SERIES TABLE SHEET 2.
- 1.3 FOR PATENT INFO: <https://www.adwpat.com>
- 2.0 DESIGN NOTES
- 2.1 UP TO 5% ADDITIONAL HARDWARE INCLUDED.
- 2.2 ANTENNAS MUST BE POSITIONED EQUALLY SPACED VERTICALLY BETWEEN SPAN OF FACE MOUNTS.
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
- 3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD. TIGHTEN ALL U-BOLTS USING TURN-OF-NUT METHOD WITH ATTENTION TO LEAVE EQUAL DISTANCE AND EQUAL FORCE ON EACH LEG OF THE U-BOLT.
- 4.0 TEST
- 5.0 PACKAGING
- 5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005
- 5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
- 5.3 EXTRA HARDWARE MAY BE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	MSM 09/23/10	
B	REVISED TABLE ON PAGE TWO	DRR 01/18/11	
C	REDRAWN IN SOLIDWORKS; ADDED MT54760	RY1002 07APR25	WQ1001 50102081AMO

SADDLE RANGE UP TO
Ø 16" OD LEG
16" 60 ° ANGLE LEG
12" 90 ° ANGLE LEG




TFL-M3-8 SHOWN FOR REFERENCE



USED TO STRENGTHEN THE ANGLE LEGS ON TOWERS
COULD BE USED ON 60° ANGLE LEGS UP TO 5.5" X 5.5" OR
90° ANGLE LEGS UP TO 5.0" X 5.0".
LARGER ANGLES MAY NEED TO PURCHASE OTHER PIPES
SEPARATELY.

CROP VIEW

REFERENCE: 9 ° TAPER @ 48" SEPARATION



**ANDREW**[®] an Amphenol company

TOLERANCES		SAP MATERIAL MASTER						
1 PLACE .X[X] ± 0.12[3.0]	3 PLACE .XXX[X] ± 0.030[0.8]	SEE TABLE						
2 PLACE .XX[X] ± 0.06[1.5]	ANGLES ± 2°							
FINISH		MATERIAL						
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994		NAME	DATE	LARGE TOWER FACE MOUNT SERIES				
		CE MSM	04/28/10					
		RW RY1002	07/22/2025					
		AD YX1027	07/22/2025					
		RE RY1002	07/22/2025	SCALE 1:16 DOCUMENT NO. TFL-M SERIES				
ECN 50102081AMO								
SIZE	Auth Group	INSL	MODEL		DRAWING		SHEET 1 OF 4	
C			VERSION 01	STATUS RE	REVISION B	VERSION 00		STATUS RE

Confidential

4		3															2		1	
ITEM	DESCRIPTION	MT-653-63	MT54760	TFLMHK2	TFLMHK3	TFLMHK4	MT-537-170	MT-538	MT-651-96	MT-547-174	MT-547	MT54796	MT-654-96	MTC987205	TFMSS2HK	TFMSS3HK	TFMSS4HK	MT-650-63	TF-ST	WEIGHT
TFL-M2-14	TOWER FACE MOUNT, 2-3/8" X 14' PIPE	1	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	562.36 LBS
TFL-M2-20	TOWER FACE MOUNT, 2-3/8" X 20' PIPE	1	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	602.09 LBS
TFL-M2-8	TOWER FACE MOUNT, 2-3/8" X 8' PIPE	1	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	526.51 LBS
TFL-M2S-14	POWER FACE MOUNT, 2-3/8" X 14' PIPE	1	2	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	596.80 LBS
TFL-M2S-20	TOWER FACE MOUNT, 2-3/8" X 20' PIPE	1	2	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	636.53 LBS
TFL-M2S-8	TOWER FACE MOUNT, 2-3/8" X 8' PIPE	1	2	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	560.95 LBS
TFL-M2S2-14	TOWER FACE MOUNT, 2-3/8" X 14' PIPE	1	2	1	-	-	2	-	-	-	-	-	-	-	2	-	-	2	-	631.24 LBS
TFL-M2S2-20	TOWER FACE MOUNT, 2-3/8" X 20' PIPE	1	2	1	-	-	-	2	-	-	-	-	-	-	2	-	-	2	-	670.97 LBS
TFL-M2S2-8	TOWER FACE MOUNT, 2-3/8" X 8' PIPE	1	2	1	-	-	-	-	2	-	-	-	-	-	2	-	-	2	-	595.39 LBS
TFL-M3-14	TOWER FACE MOUNT, 3-1/2" X 14' PIPE	1	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	654.28 LBS
TFL-M3-20	TOWER FACE MOUNT, 3-1/2" X 20' PIPE	1	2	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	738.08 LBS
TFL-M3-8	TOWER FACE MOUNT, 3-1/2" X 8' PIPE	1	2	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	580.32 LBS
TFL-M3S-14	TOWER FACE MOUNT, 3-1/2" X 14' PIPE	1	2	-	1	-	-	-	-	2	-	-	-	-	-	1	-	1	-	689.30 LBS
TFL-M3S-20	TOWER FACE MOUNT, 3-1/2" X 20' PIPE	1	2	-	1	-	-	-	-	-	2	-	-	-	-	1	-	1	-	773.10 LBS
TFL-M3S-8	TOWER FACE MOUNT, 3-1/2" X 8' PIPE	1	2	-	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-	615.34 LBS
TFL-M3S2-14	TOWER FACE MOUNT, 3-1/2" X 14' PIPE	1	2	-	1	-	-	-	-	2	-	-	-	-	-	2	-	2	-	724.32 LBS
TFL-M3S2-20	TOWER FACE MOUNT, 3-1/2" X 20' PIPE	1	2	-	1	-	-	-	-	-	2	-	-	-	-	2	-	2	-	808.13 LBS
TFL-M3S2-8	TOWER FACE MOUNT, 3-1/2" X 8' PIPE	1	2	-	1	-	-	-	-	-	-	2	-	-	-	2	-	2	-	650.36 LBS
TFL-M4-14	TOWER FACE MOUNT, 4-1/2" X 14' PIPE	-	2	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	830.46 LBS
TFL-M4-8	TOWER FACE MOUNT, 4-1/2" X 8' PIPE	-	2	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	694.54 LBS
TFL-M4S-14	TOWER FACE MOUNT, 4-1/2" X 14' PIPE	-	2	-	-	1	-	-	-	-	-	-	1	2	-	-	1	1	-	875.14 LBS
TFL-M4S-8	TOWER FACE MOUNT, 4-1/2" X 8' PIPE	-	2	-	-	1	-	-	-	-	-	-	3	-	-	-	1	1	-	739.22 LBS
TFL-M4S2-14	TOWER FACE MOUNT, 4-1/2" X 14' PIPE	-	2	-	-	1	-	-	-	-	-	-	1	2	-	-	2	2	-	919.82 LBS
TFL-M4S2-8	TOWER FACE MOUNT, 4-1/2" X 8' PIPE	-	2	-	-	1	-	-	-	-	-	-	3	-		-	2	2	-	783.90 LBS
TFL-ML2-14	TOWER FACE MOUNT, 2-3/8" X 14' PIPE	1	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	601.73 LBS
TFL-ML2-20	TOWER FACE MOUNT, 2-3/8" X 20' PIPE	1	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	641.46 LBS
TFL-ML2-8	TOWER FACE MOUNT, 2-3/8" X 8' PIPE	1	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	565.88 LBS
TFL-ML2S-14	TOWER FACE MOUNT, 2-3/8" X 14' PIPE	1	2	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1	1	636.17 LBS
TFL-ML2S-20	TOWER FACE MOUNT, 2-3/8" X 20' PIPE	1	2	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	1	675.90 LBS
TFL-ML2S-8	TOWER FACE MOUNT, 2-3/8" X 8' PIPE	1	2	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1	600.32 LBS
TFL-ML2S2-14	TOWER FACE MOUNT, 2-3/8" X 14' PIPE	1	2	1	-	-	2	-	-	-	-	-	-	-	2	-	-	2	1	670.62 LBS
TFL-ML2S2-20	TOWER FACE MOUNT, 2-3/8" X 20' PIPE	1	2	1	-	-	-	2	-	-	-	-	-	-	2	-	-	2	1	710.34 LBS
TFL-ML2S2-8	TOWER FACE MOUNT, 2-3/8" X 8' PIPE	1	2	1	-	-	-	-	2	-	-	-	-	-	2	-	-	2	1	634.76 LBS
TFL-ML3-14	TOWER FACE MOUNT, 3-1/2" X 14' PIPE	1	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	692.04 LBS
TFL-ML3-20	TOWER FACE MOUNT, 3-1/2" X 20' PIPE	1	2	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	775.84 LBS
TFL-ML3-8	TOWER FACE MOUNT, 3-1/2" X 8' PIPE	1	2	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	618.07 LBS
TFL-ML3S-14	TOWER FACE MOUNT, 3-1/2" X 14' PIPE	1	2	-	1	-	-	-	-	2	-	-	-	-	-	1	-	1	1	727.06 LBS
TFL-ML3S-20	TOWER FACE MOUNT, 3-1/2" X 20' PIPE	1	2	-	1	-	-	-	-	-	2	-	-	-	-	1	-	1	1	810.86 LBS
TFL-ML3S-8	TOWER FACE MOUNT, 3-1/2" X 8' PIPE	1	2	-	1	-	-	-	-	-	-	2	-	-	-	1	-	1	1	653.10 LBS
TFL-ML3S2-14	TOWER FACE MOUNT, 3-1/2" X 14' PIPE	1	2	-	1	-	-	-	-	2	-	-	-	-	-	2	-	2	1	762.08 LBS
TFL-ML3S2-20	TOWER FACE MOUNT, 3-1/2" X 20' PIPE	1	2	-	1	-	-	-	-	-	2	-	-	-	-	2	-	2	1	845.88 LBS
TFL-ML3S2-8	TOWER FACE MOUNT, 3-1/2" X 8' PIPE	1	2	-	1	-	-	-	-	-	-	2	-	-	-	2	-	2	1	688.12 LBS
TFL-ML4-14	TOWER FACE MOUNT, 4-1/2" X 14' PIPE	-	2	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	1	867.67 LBS
TFL-ML4-8	TOWER FACE MOUNT, 4-1/2" X 8' PIPE	-	2	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	1	731.75 LBS
TFL-ML4S-14	TOWER FACE MOUNT, 4-1/2" X 14' PIPE	-	2	-	-	1	-	-	-	-	-	-	1	2	-	-	1	1	1	912.35 LBS
TFL-ML4S-8	TOWER FACE MOUNT, 4-1/2" X 8' PIPE	-	2	-	-	1	-	-	-	-	-	-	3	-	-	-	1	1	1	776.43 LBS
TFL-ML4S2-14	TOWER FACE MOUNT, 4-1/2" X 14' PIPE	-	2	-	-	1	-	-	-	-	-	-	1	2	-	-	2	2	1	957.03 LBS
TFL-ML4S2-8	TOWER FACE MOUNT, 4-1/2" X 8' PIPE	-	2	-	-	1	-	-	-	-	-	-	3	-		-	2	2	1	821.12 LBS

CONFIDENTIAL

SIZE

C

SCALE

1:12

DOCUMENT NO.

TFL-M SERIES

DRAWING

VERSION

00

STATUS

RE

REVISION

C

SHEET

2 OF 4

ANDREW®


an Amphenol company

TITLE

LARGE TOWER FACE MOUNT SERIES


DISH DIAMETER TO TOWER FACE MOUNT CHART

	TOWER FACE MOUNT							
DISH DIAMETER	TFL-M2-8	TFL-M2-14	TFL-M2-20	TFL-M3-8	TFL-M3-14	TFL-M3-20	TFL-M4-8	TFL-M4-14
2' (0.6m)	X	X	X	X	X	X	X	X
4' (1.2m)	X	X	X	X	X	X	X	X
6' (1.8m)	X	-	-	X	X	X	X	X
8' (2.4m)	-	-	-	X	X	X	X	X
10' (3.1m)	-	-	-	X	X	X	X	X
12' (3.7m)	-	-	-	X	X	-	-	X
15' (4.6m)	-	-	-	-	-	-	X	-



OPTIONAL
TOWER FACE MOUNT STRUT SUPPORTS

PART NO	DESCRIPTION	TFL-M SERIES
TF-MSS-2	TOWER FACE MOUNT STRUT SUPPORT 2-3/8"OD X 2-3/8"OD	TFL-M2-XX / TFL-ML2-XX
TF-MSS-3	TOWER FACE MOUNT STRUT SUPPORT 2-3/8"OD X 3-1/2"OD	TFL-M3-XX / TFL-ML3-XX
TF-MSS-4	TOWER FACE MOUNT STRUT SUPPORT 2-3/8"OD X 4-1/2"OD	TFL-M4-XX / TFL-ML4-XX




NOTE: CONSULT FACTORY/DISTRIBUTOR
FOR CORRECT ASSEMBLY.





TITLE
LARGE TOWER FACE MOUNT SERIES

SIZE	SCALE	DOCUMENT NO.		
C	1:8	TFL-M SERIES		
		DRAWING		
		VERSION	STATUS	REVISION
		00	RE	C
		SHEET		
		3 OF 4		

Confidential



OPTIONAL TF-ST
TOWER FACE MOUNT STAND-OFF



TITLE
LARGE TOWER FACE MOUNT SERIES

SIZE C	SCALE 1:7	DOCUMENT NO. TFL-M SERIES		
------------------	---------------------	-------------------------------------	--	--



DRAWING		
VERSION 00	STATUS RE	REVISION C

SHEET
4 OF 4

Confidential