




NOTE: PLATFORM FEET ARE WITHIN THE 8 X 8 PLATFORM FOOTPRINT.



LEGS ADJUSTABLE +/- 5" TO ACCOUNT FOR GRADE



TITLE
8X8 PLATFORM WITH CANOPY AND HANDRAIL


SIZE **C** SCALE **1:24** DOCUMENT NO. **MTC39668**



DRAWING			SHEET
VERSION	STATUS	REVISION	
02	RE	D	2 OF 6

Confidential

LOCATION OF HARDWARE AND ORIENTATION OF BRACKETS IS CRITICAL



SOME ITEMS OMITTED FOR CLARITY

ANDREW an Amphenol company

TITLE
8X8 PLATFORM WITH CANOPY AND HANDRAIL

SIZE **C** SCALE **1:12** DOCUMENT NO. **MTC39668**




DRAWING
VERSION STATUS REVISION
02 RE D


SHEET
3 OF 6

Confidential

ASSEMBLE HANDRAIL CORNER BRACES (ITEM 24) **AFTER**
CANOPY ASSEMBLY HAS BEEN COMPLETED.



DETAIL A
SCALE 1 : 4





SOME ITEMS OMITTED FOR CLARITY

ANDREW an Amphenol company

TITLE
8X8 PLATFORM WITH CANOPY AND HANDRAIL

SIZE C	SCALE 1:14	DOCUMENT NO. MTC39668
------------------	----------------------	--------------------------



DRAWING		
VERSION	STATUS	REVISION
02	RE	D

SHEET
4 OF 6

Confidential


4

3

2

1

- NOTE:
- 1. LEAVE $\varnothing 5/8"$ X 5.5" BOLTS LOOSE UNTIL ENTIRE CANOPY IS FRAMED.
 - 2. ATTACH ITEM 20 KICKERS BEFORE TIGHTENING CANOPY BOLTS.
 - 3. TIGHTEN ALL REMAINING BOLTS.
 - 4. ATTACH CANOPY DECKING WITH SUPPLIED SCREWS.
 - 5. TRIM DECKING TO ELIMINATE OVERHANG.



SOME ITEMS OMITTED FOR CLARITY

ANDREW® an Amphenol company

TITLE
8X8 PLATFORM WITH CANOPY AND HANDRAIL



SIZE C	SCALE 1:18	DOCUMENT NO. MTC39668
------------------	----------------------	---------------------------------

Confidential



DRAWING			SHEET 5 OF 6
VERSION	STATUS	REVISION	
02	RE	D	

DETAILS FOR ASSEMBLY OF ROOF AND LOCATION/SPACING OF SCREWS



DETAIL B
SCALE 1 : 1

Confidential

				
TITLE 8X8 PLATFORM WITH CANOPY AND HANDRAIL				
SIZE C	SCALE 1:12	DOCUMENT NO. MTC39668		
 		DRAWING		
		VERSION 02	STATUS RE	REVISION D
				SHEET 6 OF 6