






- 1.0 GENERAL NOTES
- 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]
- 1.2 FOR PATENT INFO: <https://www.adwpat.com>
- 2.0 DESIGN NOTES
- 2.1 MAXIMUM ALLOWABLE WEIGHT PER RRU = 109 KG (240 LBS)
- 2.2 BOLTS/NUTS/WASHERS USE TO ATTACH INTERFACE BRACKET TO RADIO ARE TO BE PER RADIO MANUFACTURERS SPECIFICATIONS INCLUDING TORQUE.
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
- 4.0 TEST
- 5.0 PACKAGING
- 5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005
- 5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
- 5.3 EXTRA HARDWARE MAY BE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
G	UPDATED PRODUCT PACKAGING	YX1027 17MAR25	BA1025 50101920AMO
H	UPDATED NOTE2.1	JJ1095 14AUG25	YZ1080 50104409AMO
J	SHEET 7: ADDED 4480 TO THE LIST OF COMPATIBLE RADIOS; ADDED MOUNTING HOLES POSITION SHEET	YX1027 12NOV25	BA1025 50105799AMO




COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	MTC378905-00	BRACKET, RRU MOUNTING, RR-FAX	2	7.35 LBS	
2	GWf-03	3/8" GALV FLAT WASHER	12	0.01 LBS	
3	GWl-03	3/8" GALV LOCK WASHER	12	0.01 LBS	
4	GN-03	3/8" GALV HEX NUT	12	0.02 LBS	
5	MTC8196	3/8 X 1-1/4" CARRIAGE BOLT	12	0.052 LBS	
6	MTC9419	M8 FLAT WASHER SS	8	0.004 LBS	
7	MTC9418	M8 LOCK WASHER SS	8	0.002 LBS	
8	MTC9415	M8 X 25mm HEX BOLT SS	8	0.032 LBS	
9	MTC378904-00	CLAMP FOR FA4, GALV	2	2.170 LBS	
10	MTC378906-00	CLAMP FOR FA4, GALV	2	2.15 LBS	
11	MT-379	1/2" X 12" GALV THREADED ROD	4	0.66 LBS	
12	GWf-04	1/2" GALV FLAT WASHER	12	0.04 LBS	
13	GWl-04	1/2" GALV LOCK WASHER	12	0.01 LBS	
14	GN-04	1/2" GALV HEX NUT	12	0.04 LBS	

ANDREW® an Amphenol company									
TOLERANCES						SAP MATERIAL MASTER			
0 PLACE		X[X] ± 0.25[6.3]		2 PLACE		.XX[X] ± 0.06[1.5]		RR-FA4	
1 PLACE		.X[X] ± 0.12[3.0]		ANGLES		± 2°			
FINISH					MATERIAL				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994		NAME	DATE	NEW B2B FAST ACCESS RRU MOUNT					
	CE	YX1027	18NOV22						
	RW	YMENG	11/12/2025						
									
	AD	YZ1080	11/18/2025	SCALE 1:4		RR-FA4			
	RE	YMENG	11/18/2025						
	ECN 50105799AMO			DOCUMENT NO.					
	SIZE	Auth Group	INSL	MODEL			DRAWING		
C			VERSION	STATUS	REVISION	VERSION	STATUS	REVISION	
			05	RE	F	08	RE	J	

Confidential



APPLICABLE PIPE DIAMETER FOR EXTERNAL HOLES




APPLICABLE PIPE DIAMETER FOR INNER HOLE

 **ANDREW**® an Amphenol company

TITLE
NEW B2B FAST ACCESS RRU MOUNT


SIZE C	SCALE 1:4	DOCUMENT NO. RR-FA4		
------------------	---------------------	------------------------	--	--



DRAWING			SHEET 2 OF 7
VERSION	STATUS	REVISION	
08	RE	J	

Confidential

MOUNTING HOLES POSITION



MOUNTING CONFIGURATION	BOLT PATTERN DIMENSIONS (W X H)	RADIO TYPE	COMPATIBLE RADIO MODELS
"A"	3.15" X 4.33" [80mm X 110mm]	FDD DUAL-BAND AND TDD MACRO RADIO	4449/4467/4490/4890/8843/8863/4480
"B"/"C"	3.15" X 3.15" [80mm X 80mm]	HIGH POWER MICRO FDD RADIOS	4455
"D"	4.33" X 4.33" [110mm X 110mm]	MICRO TDD RADIOS AND HEAVY DUAL-BAND MACRO RADIOS	4435/4460/1281/5322
"E"	1.18" X 4.33" [30mm X 110mm]	SINGLE-BAND MACRO RADIOS AND POWER 6308	4415/4426/4478/6308

Confidential





TITLE
NEW B2B FAST ACCESS RRU MOUNT

SIZE **C** SCALE **1:4** DOCUMENT NO. **RR-FA4**




DRAWING			SHEET 3 OF 7
VERSION	STATUS	REVISION	
08	RE	J	

BRACKET COMPATIBLE WITH 4455 RADIO/AIR MOUNTING ON RR-FA4




4X M8 HARDWARE
(RRU 4455 MOUNTING)

(NEAR SIDE RRU HIDDEN FOR CLARITY)



OPTION 1



OPTION 2

MOUNTING HOLES POSITION

ANDREW an Amphenol company

TITLE
NEW B2B FAST ACCESS RRU MOUNT




SIZE **C** SCALE **1:4** DOCUMENT NO. **RR-FA4**



DRAWING			SHEET 4 OF 7
VERSION	STATUS	REVISION	
08	RE	J	

Confidential

BRACKET COMPATIBLE WITH 4435/4460 RADIO, 4435/1281/5322 AIR MOUNTING ON RR-FA4




MOUNTING HOLES POSITION



TITLE
NEW B2B FAST ACCESS RRU MOUNT




SIZE **C** SCALE **1:4** DOCUMENT NO. **RR-FA4**



DRAWING			SHEET 5 OF 7
VERSION	STATUS	REVISION	
08	RE	J	

Confidential

BRACKET COMPATIBLE WITH 4415/4426/4478 RADIO, 6308 POWER MOUNTING ON RR-FA4




MOUNTING HOLES POSITION



TITLE
NEW B2B FAST ACCESS RRU MOUNT




SIZE **C** SCALE **1:4** DOCUMENT NO. **RR-FA4**



DRAWING			SHEET 6 OF 7
VERSION	STATUS	REVISION	
08	RE	J	

Confidential

BRACKET COMPATIBLE WITH 4449/4467/4490/4890/8843/8863/4480 RADIO MOUNTING ON RR-FA4



MOUNTING HOLES POSITION

Confidential



ANDREW® an Amphenol company

TITLE

NEW B2B FAST ACCESS RRU MOUNT

SIZE	SCALE	DOCUMENT NO.		
C	1:8	RR-FA4		
		DRAWING		SHEET 7 OF 7
		VERSION	STATUS	
		08	RE	J