

PM-SU4-96



Universal Sliding Pipe Mount Kit for 4-1/2 in OD x 96 in pipe

Product Classification

Product Type Pipe mount

General Specifications


Mounting	Angle 60°, 203.2 mm (8 in) Angle 90°, 152.4 mm (6 in) Straight or tapered legs up to 203.2 mm (8 in) OD
Pipe, quantity	1
Tower Taper	Tapered

Dimensions

Height	2,438.4 mm 96 in
Width	304.8 mm 12 in
Length	304.8 mm 12 in
Pipe Length	2,438.4 mm 96 in
Mounting Diameter, maximum	203.2 mm 8 in
Mounting Diameter, minimum	38.1 mm 1.5 in
Pipe Outer Diameter	114.3 mm 4.5 in

PM-SU4-96

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included Pipe | Sliding pipe mount brackets | Universal saddle mount

Packaging quantity 1

Weight, net 76.7 kg | 169.094 lb

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

Included Products

- | | |
|-----------|--|
| MT-654-96 | - Plain End Pipe, 4-1/2 in OD x 96 in x .188" A500C 46Ksi |
| PM-SL4 | - Universal Taper Pipe Mount Slider Bracket for 4-1/2 in OD pipe |

PM-SU4-96

- SM-U2080 – Universal Saddle Mount for straight or tapered legs up to 8 in OD, 8 in angle 60°, or 6 in angle 90° (Kit of 2)